

For everyday sore pain

サロンパス® EX インドメタシン 3.5%

Salonpas® EX Indomethacin 3.5%

<Subtly fragrant> Analgesic antiinflammatory plaster

Product features/characteristic

- Contains 3.5% indomethacin and shows excellent analgesic antiinflammatory effect.
- Use of flexible material allows gentle application with less rashes.
- Compact sized plaster that is easy for application to areas associated with stiff neck (shoulders, base of the neck, and around the shoulder blades).
- Subtly fragrant plaster that makes you forget that you are wearing it.

[Precautions]

 **Do not use:** [Failure to follow directions may result in worsening of current symptoms or cause side effects.]

1. Do not use:
 - (1) If you have a history of allergic symptoms to this product or ingredients of this product.
 - (2) If you have a history of asthma.
 - (3) Children under 11 years old.
2. Do not use this product on the following areas:
 - (1) Around the eyes and mucous membranes.
 - (2) Eczema, eruptions, and wounds.
 - (3) Athlete's foot/ringworm or purulent skin.
3. Do not use this product for more than 2 weeks in a row.



Ask a doctor:

1. Ask a doctor, pharmacist or registered distributor before use,
 - (1) If you are being treated by a doctor.
 - (2) If you are pregnant or possibly pregnant.
 - (3) If you have a history of allergic symptoms due to drugs.
2. If the following symptoms appear after use, they may be side effects. Stop using this product immediately, and ask a doctor, pharmacist, or registered distributor with this box.

Related area	Symptoms
Skin	Rash/redness, swelling, itching, smarting, warmth, dryness, eruption

3. If the symptoms persist after 5 to 6 days of use, stop using the product and ask a doctor, pharmacist, or registered distributor with this box.

[Indications] Stiff shoulder, low back pain, joint pain, muscle pain, tenosynovitis (pain in the hands/wrists), pain in the elbows (tennis elbow), bruises, sprains

[Dosage and usage] Remove the plastic film on the surface and apply to the affected area not more than 2 times a day.

<Precautions related to dosage and usage>

- (1) Children under 11 years old should not use this product.
- (2) Children aged 11 and over should use this product only under adult supervision.
- (3) If you have sensitive skin, apply a small piece (1 to 2 cm square) to the sensitive skin of the inner arm for approximately half a day or longer before application. Use this product only after confirming that the symptoms such as rash/redness, itching, and eruption are not induced.
- (4) Clean the skin of the affected area before application.
- (5) Do not apply to the same area continuously if you have sensitive skin.

[Ingredients/contents]

Active ingredients	Content (per 100 g mass plaster):
Indomethacin	3.5g
l-menthol	3.5g

As additional ingredients, this product contains sodium edetate, cycloaliphatic saturated hydrocarbon resin, styrene-isoprene-styrene block copolymer, BHT, polyisobutylene, and liquid paraffin, as well as 2 other ingredients.

Precautions for storage and handling

- (1) Store in a cool place away from direct sunlight.
- (2) Keep out of reach of children.
- (3) Avoid storing the product in other containers (it may result in a misuse or a change in quality).
- (4) Place unused products in the pouch and fold the opening properly for storage.
- (5) Do not use the product after the expiration date.

<Packaging> 5.4cm × 8.56cm 20 patches, 40 patches, 60 patches