


Therapeutic drug for athlete's foot/ringworm that contains butenafine hydrochloride

Product features/characteristic

- Athlete's foot/ringworm are diseases caused by infestation of mold (fungus) called Trichophyton in the corneal layer of the skin surface.
 Trichophyton invades the keratins in the corneal layer of the skin surface, causing severe itching.
- Butenalock V α Cream is a therapeutic drug for athlete's foot/ringworm with excellent fungicidal effect on the pathogenic fungi in athlete's foot (Trichophyton).

Contains "Butenafine hydrochloride" with excellent fungicidal activity. Works on itchy athlete's foot!

- Penetrates well into the corneal layer and kills the pathogenic fungi in athlete's foot (Trichophyton).
- In addition to anti-itching ingredients, "Chlorpheniramine maleate," "Dibucaine hydrochloride," and "Crotamiton," I-menthol provides a cooling sensation to suppress itching.
- Contains an sterilizing ingredient "isopropyl methylphenol."
- · Contains anti-inflammatory "glycyrrhetinic acid."
- Due to excellent skin retention, this product works just by once daily usage.



⚠[Precautions]

Do not use: [Failure to follow directions may result in worsening of current symptoms or cause adverse reactions.]

1. Do not use:

if you have a history of allergic symptoms to this product or ingredients of this product.

- 2. Do not use this product on the following areas:
 - (1) Eyes and the surrounding area, mucous membranes (e.g., oral cavity, nasal cavity, and vagina), scrotum, and external genitalia.
 - (2) Eczema.
 - (3) Affected areas with severe infiltration, sores, cracks, or trauma.

Ask a doctor:

- 1. Ask a doctor, pharmacist, or registered distributor before use,
 - (1) If you are being treated by a doctor.
 - (2) If you are pregnant or possibly pregnant.
 - (3) Infants.
 - (4) If you have a history of allergic symptoms due to drugs.
 - (5) If the affected area is on the face or an extensive area.
 - (6) If the affected area is purulent.
 - (7) If you are not sure whether the cause is "Eczema" or "Tinea pedis, tinea cruris, or tinea corporis". (If the symptom is itch/sore in the scrotum, it is usually caused by eczema.)
- 2. If the following symptoms appear after use, there may be side effects. Stop using this product immediately, and ask a doctor, pharmacist, or registered distributor with this information leaflet.

Related area	Symptoms
Skin	Rash/redness, itching, eruption, swelling, irritation, warmth, skin shedding, sores, blisters, dryness, sting, cracks

3. If the symptoms persist after 2 weeks of use, stop using the product and ask a doctor, pharmacist, or registered distributor within this information leaflet.

[Indications] Tinea pedis, tinea cruris, and tinea corporis

[Dosage and usage] Apply a proper amount to the affected area once daily.

<Pre><Precautions related to dosage and usage>

- (1) Do not use when the affected area and the surrounding are not clean.
- (2) Avoid contact with the eyes. If eye contact occurs, rinse immediately with water or lukewarm water and consult an ophthalmologist right away.
- (3) Children should use this product only under adult supervision.
- (4) For external use only.

[Ingredients/contents]

| Active ingredients | Content (per 1 g): | |
|--------------------------|--------------------|--|
| Butenafine hydrochloride | 10mg | |
| Dibucaine hydrochloride | 2mg | |
| Chlorpheniramine maleate | 5mg | |
| Glycyrrhetinic acid | 2mg | |

| Active ingredients | Content (per 1 g): |
|------------------------|--------------------|
| l-menthol | 20mg |
| Crotamiton | 10mg |
| Isopropyl methylphenol | 3mg |
| | |


Additional ingredients: Cetyl 2 ethylhexanoate, diethanolamine, self-emulsifying glyceryl monostearate, dimethylpolysiloxane, cetostearyl alcohol, paraben, BHT, propylene glycol, behenyl alcohol, polyoxyethylene behenyl alcohol, isopropyl myristate

Precautions for storage and handling

- (1) Store in a cool place with lid closed tightly, away from direct sunlight.
- (2) Keep out of reach of children.
- (3) Avoid storing the product in other containers (it may result in a misuse or a change in quality).
- (4) Do not use the product after the expiration date. Also, use as soon as possible after opening the package even if the expiration date has not passed for ensuring the quality.

<Packaging> 18g

[How to open the tube]




• Turn the cap upside down and press the protrusion firmly to the tip of the tube.


5 tips for the treatment of athlete's foot


Always ensure that your feet are not sweating.

and above, with humidity of 70% or more. Always prevent sweating and try to keep your feet dry.



Continue to apply the medicine to the athlete's foot for at least 1 month even after symptoms disappear. Even if symptoms disappear, it may be that only the activity of Trichophyton is suppressed, not the disease.





with soap everyday. Although this product is effective if used once daily, it is important to take appropriate long-term measures such as avoiding sweating and keeping the shoes and socks clean (frequent washing)

It is important to wash the affected area

Apply the drug uning, no. co., area but also to the surrounding area. Apply the drug thinly, not only to the affected Apply the drug extensively because the area of infection of

Trichophyton is often wider than the area with symptoms.



Daily comprehensive foot care is important for the cure of athlete's foot.